

10-30-00

PTO/SB/05 (08-00)

Please type a plus sign (+) inside this box → ☒Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	LEN 101 CIP CON
First Inventor	M. Rigdon Lentz
Title	METHOD AND COMPOSITIONS FOR TREATMENT OF CANCERS
Express Mail Label No.	EL 690 662 721 US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. ☒ Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☒ Applicant claims small entity status.
See 37 CFR 1.27.
3. ☒ Specification [Total Pages 19]
(preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross Reference to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to sequence listing, a table, or a computer program listing appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
4. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 2]
5. Oath or Declaration [Total Pages 2]
 - a. ☐ Newly executed (original or copy)
 - b. ☒ Copy from a prior application (37 CFR 1.63 (d))
(for continuation/divisional with Box 17 completed)
 - i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s)
named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

7. ☐ CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)
8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
 - a. ☐ Computer Readable Form (CRF)
 - b. Specification Sequence Listing on:
 - i. ☐ CD-ROM or CD-R (2 copies); or
 - ii. ☐ paper
 - c. ☐ Statements verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

9. ☐ Assignment Papers (cover sheet & document(s))
10. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)
11. ☐ English Translation Document (if applicable)
12. ☒ Information Disclosure Statement (IDS)/PTO-1449 ☒ Copies of IDS Citations 11
13. ☒ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☒ Other: Check for \$436.00

17. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR 1.76:

☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP)of prior application No 09 / 316,226

Prior application information

Examiner Noggle, W.Group / Art Unit 3762

For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion of the disclosure is omitted from the submitted application parts.

18. CORRESPONDENCE ADDRESS☒ Customer Number or Bar Code Label23579or ☐ Correspondence address below

Name	Patrea L. Pabst Arnall Golden & Gregory, LLP				
Address	2800 One Atlantic Center 1201 West Peachtree Street				
City	Atlanta	State	GA	Zip Code	30309-3450
Country	United States	Telephone	(404) 873-8794	Fax	(404) 873-8795

Name (Print/Type)	Patrea L. Pabst	Registration No. (Attorney/Agent)	31,284
Signature			Date <u>10/24/00</u>

Burden Hour Statement This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231

LEN 101 CIP CON 11653/7

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT (\$436.00)

Complete if Known

Application Number	Continuation of 09/316,226
Filing Date	October 26, 2000
First Named Inventor	M. Rigdon Lentz
Examiner Name	
Group Art Unit	
Attorney Docket No.	LEN 101 CIP CON

METHOD OF PAYMENT (check one)

1. ☐ The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to
- Deposit Account Number **01-2507**
- Deposit Account Name **Arnall Golden & Gregory**
- ☒ Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17
- ☒ Applicant claims small entity status See 37 CFR 1.27
2. ☒ **Payment Enclosed:**
- ☒ Check ☐ Credit card ☐ Money Order ☐ Other

FEE CALCULATION**1. BASIC FILING FEE**

Large Entity Code	Large Entity Fee (\$)	Small Entity Code	Small Entity Fee (\$)	Fee Description	Fee Paid
101	710	201	355	Utility filing fee	355.00
106	320	206	160	Design filing fee	
107	490	207	245	Plant filing fee	
108	710	208	355	Reissue filing fee	
114	150	214	75	Provisional filing fee	

SUBTOTAL (1) (\$355.00)

2. EXTRA CLAIM FEES

Total Claims	Extra Claims	Fee from below	Fee Paid
29	20 = 9	9.00	81.00
3	3 = 0	40.00	0
Multiple Dependent			

Large Entity Code	Large Entity Fee (\$)	Small Entity Code	Small Entity Fee (\$)	Fee Description
103	18	203	9	Claims in excess of 20
102	80	202	40	Independent claims in excess of 3
104	270	204	135	Multiple dependent claim, if not paid
109	80	209	40	** Reissue independent claims over original patent
110	18	210	9	** Reissue claims in excess of 20 and over original patent

SUBTOTAL (2) (\$81.00)

FEE CALCULATION (continued)**3. ADDITIONAL FEES**

Large Entity Code	Large Entity Fee (\$)	Small Entity Code	Small Entity Fee (\$)	Fee Description	Fee Paid
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet	
139	130	139	130	Non-English specification	
147	2,520	147	2,520	For filing a request for <i>ex parte</i> reexamination	
112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
115	110	215	55	Extension for reply within first month	
116	390	216	195	Extension for reply within second month	
117	890	217	445	Extension for reply within third month	
118	1,390	218	695	Extension for reply within fourth month	
128	1,890	228	945	Extension for reply within fifth month	
119	310	219	155	Notice of Appeal	
120	310	220	155	Filing a brief in support of an appeal	
121	270	221	135	Request for oral hearing	
138	1,510	138	1,510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive - unavoidable	
141	1,240	241	620	Petition to revive - unintentional	
142	1,240	242	620	Utility issue fee (or reissue)	
143	440	243	220	Design issue fee	
144	600	244	300	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of Information Disclosure Stmt	
581	40	581	40	Recording each patent assignment per property (times number of properties)	
146	710	246	355	Filing a submission after final rejection (37 CFR § 1.129(a))	
149	710	249	355	For each additional invention to be examined (37 CFR § 1.129(b))	
179	710	279	355	Request for Continued Examination (RCE)	
169	900	169	900	Request for expedited examination of a design application	

Other fee (specify) _____

* Reduced by Basic Filing Fee Paid

SUBTOTAL (3) (\$)

SUBMITTED BY

Name (Print/Type)	Patrea L. Pabst	Registration No. (Attorney/Agent)	31,284	Telephone	(404) 873-8794
Signature		Date	10/24/00		

Complete (if applicable)

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

LEN 101 CIP CON 11653/7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: M. Rigdon Lentz

Serial No.: Continuation of 09/316,226 Express Mail Label No.: EL 690 662 721 US
Date of Deposit: October 26, 2000

Filed: October 26, 2000

For: *METHOD AND COMPOSITIONS FOR TREATMENT OF CANCERS*

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

**REQUEST FOR FILING A CONTINUATION APPLICATION
UNDER 37 C.F.R. § 1.53(b)**

Sir:

This is a request for filing a continuation application under 37 C.F.R. § 1.53(b) of pending prior application Serial No. 09/316,226, filed May 21, 1999, by M. Rigdon Lentz, for "*Method and Compositions for Treatment of Cancers*", which is a continuation-in-part of U.S. Serial No. 09/083,307 filed May 22, 1998. The application includes 1 page of Abstract, 15 pages of specification, 3 pages of claims, two sheets of formal drawings, and a copy of the executed Declaration for Patent Application from prior application U.S.S.N. 09/316,226.

A Preliminary Amendment, and an Information Disclosure Statement are enclosed.

This application claims small entity status pursuant to the new requirements of 37 C.F.R. § 1.27 in the Federal Register, published and effective September 8, 2000. Applicant qualifies for small entity status under 37 C.F.R. § 1.27(b) for an independent inventor.

Continuation of U.S.S.N. 09/316,226
"Method and Compositions for Treatment of Cancers"
By: M. Rigdon Lentz
Filed: October 26, 2000
Request for Filing a Continuation Application Under 37 C.F.R. § 1.53(b)
Express Mail Label No.: EL 690 662 721 US
Date of Deposit: October 26, 2000

A check in the amount of \$436.00 to cover the small entity filing fee is enclosed. It is believed that this is the proper filing fee, as the application includes 3 independent claims and a total of 29 claims after entry of the enclosed Preliminary Amendment.

The inventorship for the claims in the continuation application is the same as in the prior application.

All correspondence concerning this application should be mailed to:

Patrea L. Pabst, Esq.
ARNALL GOLDEN & GREGORY, LLP
2800 One Atlantic Center
1201 West Peachtree Street
Atlanta, Georgia 30309-3450

This application is being filed on October 26, 2000, by mailing the application to BOX PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D.C. 20231 via the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10. The Express Mail label number appears in the heading of this paper which is attached to the application papers pursuant to 37 C.F.R. § 1.10(b).

Continuation of U.S.S.N. 09/316,226
"Method and Compositions for Treatment of Cancers"
By: M. Rigdon Lentz
Filed: October 26, 2000
Request for Filing a Continuation Application Under 37 C.F.R. § 1.53(b)
Express Mail Label No.: EL 690 662 721 US
Date of Deposit: October 26, 2000

The Commissioner is hereby authorized to charge any fees that may be required, or credit any overpayment to Deposit Order Account No. 01-2507. To facilitate this process, applicants have enclosed a duplicate of this letter.

Respectfully submitted,



Patrea L. Pabst
Reg. No. 31,284

Date: October 26, 2000

ARNALL GOLDEN & GREGORY, LLP
2800 One Atlantic Center
1201 West Peachtree Street
Atlanta, Georgia 30309-3450
(404) 873-8794
(404) 873-8795 (FAX)

Continuation of U.S.S.N. 09/316,226
"Method and Compositions for Treatment of Cancers"
By: M. Rigdon Lentz
Filed: October 26, 2000
Request for Filing a Continuation Application Under 37 C.F.R. § 1.53(b)
Express Mail Label No.: EL 690 662 721 US
Date of Deposit: October 26, 2000

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.10

I hereby certify that this Request for Filing a Continuation Application Under 37 C.F.R. § 1.53(b), and any documents referred to as attached therein are being deposited with the United States Postal Service on this date, October 26, 2000, in an envelope as "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10, mailing label number EL 690 662 721 US, addressed to Box Patent Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

Date: October 26, 2000



Chandra Russell

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: M. Rigdon Lentz

Serial No.: Continuation of 09/316,226 Express Mail Label No.: EL 690 662 721 US
Date of Deposit: October 26, 2000

Filed: October 26, 2000

For: *METHOD AND COMPOSITIONS FOR TREATMENT OF CANCERS*

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Prior to examination, please amend the application as follows:

In the Specification

On page 1, after the title and before "Background of the Invention", please insert the following paragraph:

--This application is a continuation of U.S.S.N. 09/316,226 filed May 21, 1999, which is a continuation-in-part of U.S.S.N. 09/083,307 filed May 22, 1998.--

On page 1, lines 9 and 10, please delete "This application claims priority to U.S.S.N. 09/083,307 filed May 22, 1998."

On page 7, line 20, please delete "30", and insert --31--.


On page 7, line 22, please delete "30", and insert --31--.

Continuation of U.S.S.N. 09/316,226
"Method and Compositions for Treatment of Cancers"
By: M. Rigdon Lentz
Filed: October 26, 2000
Preliminary Amendment
Express Mail Label No.: EL 690 662 721 US
Date of Deposit: October 26, 2000

On page 7, line 25, please delete "38", and insert --35--.

On page 7, line 27, please delete "and 13".

Respectfully submitted,



Patrea L. Pabst
Reg. No. 31,284

Date: October 26, 2000

ARNALL GOLDEN & GREGORY, LLP
2800 One Atlantic Center
1201 West Peachtree Street
Atlanta, Georgia 30309-3450
(404) 873-8794
(404) 873-8795 (FAX)

APPLICATION

FOR

UNITED STATES LETTERS PATENT

BY

M. RIGDON LENTZ

FOR

METHOD AND COMPOSITIONS FOR TREATMENT OF CANCERS

00507-636560

METHOD AND COMPOSITIONS FOR TREATMENT OF CANCERS

Background of the Invention

5 The present invention is generally in the field of enhancing an immune response, and particularly relates to the removal of inhibitors of immune mediators, in combination with anti-angiogenic compounds, cytokines, compounds inducing a procoagulant state, chemotherapeutics and/or radiation.

10 This application claims priority to U.S.S.N. 09/083,307 filed May 22, 1998.

15 Conventional cancer therapy is based on the use of drugs and/or radiation which kills replicating cells, hopefully faster than the agents kill the patient's normal cells. Surgery is used to reduce tumor bulk, but has little impact once the cancer has metastasized. Radiation is effective only in a localized area.

20 The treatments can in themselves kill the patient, in the absence of maintenance therapy. For example, for some types of cancer, bone marrow transplants have been used to maintain the patient following treatment with otherwise fatal amounts of chemotherapy. Efficacy has not been proven for treatment of solid tumors, however. "Cocktails" of different chemotherapeutic agents and combinations of very high doses of chemotherapy with restorative agents, for example, granulocyte macrophage colony stimulating factor ("GM-CSF"), erythropoietin, thrombopoietin granulocyte stimulating factor, ("G-CSF"), macrophage colony stimulating factor ("M-CSF") and stem cell factor ("SCF") to restore platelet and white cell levels, have been used to treat
25 aggressive cancers. Even with the supportive or restrictive therapy, side effects are severe.

 Other treatments have been tried in an attempt to improve mortality and morbidity. Vaccines to stimulate the patient's immune system have been

attempted, but not with great success. Various cytokines, alone or in combination, such as tumor necrosis factor, interferon gamma, and interleukin-2 ("IL-2") have been used to kill cancers, but have not produced cures. More recently, anti-angiogenic compounds such as thalidomide have been tried in compassionate use cases and shown to cause tumor remission. In animal studies, compounds inducing a procoagulant state, such as an inhibitor of protein C, have been used to cause tumor remission. New studies have shown that inhibitors of cytokine receptors, such as tumor necrosis factor receptors ("TNF-Rs") which are released in a soluble form from tumor cells, in high concentrations relative to normal cells, may restore the immune system's attack on the tumor cells (Jablonska and Peitruska, Arch. Immunol. Ther. Exp. (Warsz) 1997, 45(5-6), 449-453; Chen, et al., J. Neuropathol. Exp. Neurol. 1997, 56(5), 541-550).

U.S. Patent No. 4,708,713 to Lentz describes an alternative method for treating cancer, involving ultrapheresis to remove compounds based on molecular weight, which promotes an immune attack on the tumors by the patient's own white cells.

Despite all of these efforts, many patients die from cancer; others are terribly mutilated. It is unlikely that any one therapy will be effective to cure all types of cancer.

It is therefore an object of the present invention to provide a method and compositions for treatment of solid tumors.

It is a further object of the present invention to provide a method and compositions that does not involve non-selective, extremely toxic, systemic chemotherapy.

Summary of the Invention

A method to treat cancer uses ultrapheresis, refined to remove compounds of less than 120,000 daltons molecular weight, followed by

administration of replacement fluid, to stimulate the patient's immune system to attack solid tumors. In the preferred embodiment, the patient is ultrapheresed using a capillary tube ultrafilter or parallel plate filter having a molecular weight cutoff of 120,000 daltons, sufficient to filter at least one blood volume. The preferred replacement fluid is ultrapheresed normal plasma. Alternatively, the patient is pheresed to selectively remove soluble receptor/inhibitors to soluble tissue necrosis factor receptor-1 ("sTNFR-1"), soluble tissue necrosis factor receptor-2 ("sTNFR-2"), soluble interleukin-2 receptor ("sIL-2R"), soluble interleukin-1 receptor ("sIL-1R"), soluble interleukin-6 receptor ("sIL-6R"), or soluble interferon-gamma receptor ("sIFN-gammaR"). These can be removed by binding to the cytokine, an epitope thereof, or an antibody to the receptor. These can be immobilized in the filter, in a column, or using other standard techniques for binding reactions to remove proteins from the blood or plasma of a patient. The patient is preferably treated daily for three weeks, diagnostic tests conducted to verify that there has been shrinkage of the tumors, then the treatment regime is repeated.

The treatment is preferably combined with an alternative therapy, for example, treatment with an anti-angiogenic compound, one or more cytokines such as TNF, gamma interferon, other interferons, or IL-2, or a procoagulant compound. The treatment increases the inflammation against tumors by allowing cytokines, such as TNF, to work effectively. This provides a basis for an improved effect when combined with any treatment that enhances cytokine activity against the tumors, for example, treatments using alkylating agents, doxyrubicin, carboplatinum, cisplatinum, and taxol, and other drugs which may be synergistic in effect with "unblocked" cytokines. Alternatively, the ultrapheresis treatment can be combined with local chemotherapy, systemic chemotherapy, and/or radiation.

Brief Description of the Drawings

Figures 1 and 2 are schematics of the system for ultrapheresis.

Detailed Description of the Invention

The methods and devices disclosed herein are useful for treatment of patients with cancer, immune-mediated disorders, chronic parasitism, some viral diseases, and other disorders characterized by elevated levels of TNF receptors or inhibitors to IL-2, IL-6, gamma interferon, or other pro-inflammatory signals as well as white cell activation. Examples demonstrate efficacy in treating cancer patients.

I. Ultrapheresis

A. Ultrapheresis System

1. Filters

The filter must be biocompatible, and suitable for contact with blood, without causing excessive activation of platelets or clotting. Devices will typically be either parallel plate filters or capillary membrane filters. These can be adapted from devices currently in use for kidney dialysis. The capillary membrane filters will typically have a surface area of between about 0.25 and 1 m² for use with children and between about 1 and 3 m² for use with adults. The parallel plate filters will typically have a surface area in the range from 0.1 and 2 cm²/ml of blood to be filtered.

The filter membranes will typically be a biocompatible or inert thermoplastic such as polycarbonate, polytetrafluorethylene (Teflon^R), polypropylene, ethylene polyvinyl alcohol or polysulfone, having a pore size typically of between 0.02 and 0.05 microns in a capillary membrane filter and of between 0.04 and 0.08 microns in a parallel plate filter. The actual pore size that yields the desired cutoff of approximately 120,000 daltons is determined based on the fluid flow geometry, shear forces, flow rates, and surface area. The effective cutoff for a capillary membrane filter with a pore size of 0.03 microns

approximately 7% of the total body weight) is processed over a period of approximately 2 ½ hours. The filtrate is then returned from the filtration device to the patient at the second site. Standard microprocessor controls can be used to regulate the blood flow, for example, by monitoring the volume of the blood products being removed, in combination with flow rate monitors and pump speed.

The entire system should first be flushed with saline and then treated with an anticoagulant or anticlotting agent, such as sodium heparin, to be sure that there are no locations within the system where blood clotting can occur. Moreover, small amounts of anticoagulants should be continually introduced into the blood stream directed to the ultrafilter to ensure than no clotting occurs during the filtration process. All of the surfaces of the system which come in contact with the blood and fluids which are infused into the patient must be sterilized prior to commencing treatment.

Figure 1 illustrates a system for ultrapheresis. Blood is removed from a patient by means of a venous catheter 10 with the distal lead 11 thereof disposed in the superior vena cava 12 leading to the patient's heart 13. The blood passes through conduit 14 to a drip chamber 15 and then into pump 16 which controls the pressure of the blood to the separation unit 17, preferably an ultrafilter as shown, through conduit 18. A pressure gauge 19 is provided on conduit 14 to continually monitor arterial pressure. A syringe pump 20 feeds an anti-clotting drug such as sodium heparin to conduit 18 to prevent the clotting of blood in the ultrafilter 17. In the ultrafilter 17 the blood stream passes over the ultrafilter medium or membrane 21 under pressure. The blood fraction including the low molecular weight components passes through the membrane 21 and is discharged as permeate through conduit 22. The retentate or treated blood containing the high molecular weight components, which include whole blood cells and platelets, is discharged into conduit 23 which ultimately leads back to

the patient. Volumetric pump 27 passes a controlled amount of permeate to a container 28 for containment and for measuring. Volumetric pump 30, which is preferably the same type and capacity as pump 27, pumps replacement fluid from a container 31 to conduit 32, which directs the fluid to conduit 23 where it mixes with the retentate or treated blood. The treated blood and other components are returned to the patient through venous catheter 34, the distal or discharge end of which is disposed in the brachiocephalic vein. The volumetric pumps 27 and 30 are preferably set either to pump the same total amount of fluid or to pump at the same rate, so that the same volume of fluid which is removed from the patient's blood stream as permeate is returned as replacement fluid. The blood stream in conduit 23 is passed through filter 36 to remove clots or other debris from the blood stream. A drip chamber 37 ensures that no significant quantities of air enter the patient's blood stream. A pressure gauge 38 is provided to continually monitor venous blood pressure.

Figure 2 illustrates another embodiment wherein blood removed from a patient is first passed through conduit 30 to a first ultrafilter 31 to selectively separate a blood fraction with components having molecular weights less than about 1,000,000 Daltons. The retentate from this ultrafiltration which contains the high molecular weight components is returned through conduit 32 to the patient. The permeate from the first ultrafilter 30 is passed through conduit 33 to a second ultrafilter 34 where a blood fraction having a molecular weight below 30,000 is removed from the permeate stream from the first ultrafilter 30. The permeate from the second ultrafilter 34, which contains the very low molecular weight components such as salts and nutrients may be returned to the patient through conduit 38. The retentate from the second ultrafilter which contains blocking factors, IgG immunoglobulins and other components is discharged through conduit 36 and 13.

Blood should be pumped through the ultrafilter unit at sufficient pressure to cause the blood components having the immunosuppressive effects to pass through the filter but at a velocity which will not excessively shear or otherwise damage the blood cells passing over the membrane. Generally it has been found that the ratio of the area of the membrane to the amount of blood treated per hour should be within about 0.1 to 2 cm/mL. Differential pressure across the membrane should range from about 2 to 20 mM Hg.

3. Replacement Fluids

The patient must receive replacement fluids following filtration. The preferred replacement fluid is ultrapheresis normal plasma, for example, expired plasma obtained from the Red Cross, which has been filtered using the same filter as used to treat the patient. Alternatively, the patient can be administered normal albumin, or fresh frozen plasma diluted with saline.

II. **Treatment with Adjuvant Therapies**

Standard ultrapheresis is conducted over a period of time until a positive indication is observed. This is typically based on diagnostic tests which show that there has been some reduction in tumor size or which suggests tumor inflammation. The patient is preferably treated daily for three weeks, diagnostic tests conducted to verify that there has been shrinkage of the tumors and/or inflammation, then the treatment regime is repeated.

Surgical (or vacuum) removal of necrotic material may be required prior to or during treatment to avoid toxicity associated with high tumor burden.

This procedure has been demonstrated to cause a significant response (greater than 50% reduction in size of tumors) in a variety of solid tumors in approximately 50% of patients who have failed all other treatment modalities. A tumor specific inflammatory response provoked by ultrapheresis has been documented in approximately 75% of patients in metastatic melanoma clinical trials. This inflammation is characterized by redness, swelling, warmth, and

tenderness and is confined to tumors only. There has been no associated injury to non-cancerous tissue. This tumor specific inflammatory response has led to a 50% or greater reduction in the size of tumors in 50% of patients studied so far. Clinical trials have also demonstrated a 44% major reduction of tumor metastases in human breast cancer and prostate cancer.

Tumor specific inflammation has been observed in patients with metastatic colon cancer, ovarian cancer, lung cancer, head and neck cancer, cervical and endometrial cancers. In some cases, this inflammation has been followed by significant tumor regressions in each tumor type. The significance of response in such diverse tumor types strongly suggests that ultrapheresis modifies the patient's response to the tumor in favor of successful immunologic control of the tumor. Types of tumors that are particularly sensitive to the ultrapheresis include epithelial tumors, sarcomas, melanomas and glioblastomas.

It would clearly be advantageous to cause complete remissions. Based on the presumed mechanism that the process is removing immune inhibitors produced by the tumors, especially inhibitors of cytokines and other immune mediators, it is possible to treat the patients with adjuvant or combination therapies, that enhance the results achieved with the ultrapheresis. TNF-alpha and beta receptors are thought to be particularly important immune inhibitors. Therefore, compounds which enhance TNF activity are particularly preferred. These include anti-angiogenic compounds, such as thalidomide, procoagulant compounds, cytokines and other immunostimulants. Standard chemotherapeutic agents and/or radiation can also be used with the ultrapheresis.

A. Anti-Angiogenic Compounds

Any anti-angiogenic compound can be used. Exemplary anti-angiogenic compounds include O-substituted fumagillol and derivatives thereof, such as TNP-470, described in U.S. Patent No. 5,135,919, 5,698,586, and 5,290,807 to Kishimoto, et al.; angiostatin and endostatin, described in U.S.

Patent No. 5,290,807, 5,639,725 and 5,733,876 to O'Reilly; thalidomide, as described in U.S. Patent Nos. 5,629,327 and 5,712,291 to D'Amato; and other compounds, such as the anti-invasive factor, retinoic acid, and paclitaxel, described in U.S. Patent No. 5,716,981 to Hunter, et al., and the metalloproteinase inhibitors described in U.S. Patent No. 5,713,491 to Murphy, et al. Thalidomide is administered once daily, 200 mg orally.

B. Procoagulant Compounds

Protein C is a vitamin K-dependent plasma protein zymogen to a serine protease. Upon activation it becomes a potent anticoagulant. Activated protein C acts through the specific proteolysis of the procoagulant cofactors, factor VIIIa and factor Va. This activity requires the presence of another vitamin K-dependent protein, protein S, calcium and a phospholipid (presumably cellular) surface. As described in Hemostasis and Thrombosis: Basic Principles and Clinical Practice 2nd Ed., Colman, R.W., et al., p. 263 (J.B.Lippincott, Philadelphia, PA 1987), protein C circulates in a two-chain form, with the larger, heavy chain bound to the smaller light chain through a single disulfide link. Protein C is activated to activated protein C (APC). Thrombin is capable of activating protein C by the specific cleavage of the Arg¹²-Leu¹³ bond in the heavy chain. *In vivo*, in the presence of physiological concentrations of calcium, the rate of this activation is enhanced dramatically when thrombin is bound to the endothelial cell cofactor, thrombomodulin. Matschiner, et al., Current Advances in Vitamin K Research, pp. 135-140, John W. Suttie, ed. (Elsevier Science Publishing Co., Inc. 1988) have further reviewed the role of the Vitamin K dependent proteins in coagulation.

Blockage of the natural anticoagulant pathways, in particular the protein C pathway, uses the natural procoagulant properties of the tumor to target the tumor capillaries for microvascular thrombosis, leading to hemorrhagic necrosis of the tumor, as described in U.S. Patent No. 5,147,638 to Esmon, et al.

Examples of such compounds include anti-protein C and anti-protein S.

C. Cytokines

The biologic activity and clinical effectiveness of pro-inflammatory cytokines is augmented by ultrapheresis in the patient with cancer and other states of acquired immune tolerance. Specifically, both TNF alpha and TNF beta, in doses of between approximately 100 to 500 micrograms per meter squared body surface area (M2BSA), can enhance the immune reaction in aggressive tumors. Monocyte and lymphocyte activation is augmented by INF-alpha, INF-beta and gamma. The IL-1 and IL-2 receptor antagonists are removed by ultrapheresis and thereby upregulate the *in vivo* activity of these cytokines. An 80 kD glycoprotein, which is responsible for inhibiting blastoid transformation in advanced malignancy, chronic infectious disease and pregnancy, has recently been found, and appears to be responsible for the loss of delayed hypersensitivity reactions in these diseases, which is removed by this process. This is significant because in removing this type of suppression, vaccines of all types will work better. Dosage regimes for IFN-alpha and beta are 3 M units subcutaneous three times a week up to 20 M units/M2 BSA daily. Interferon-gamma is administered in a dosage of between 100 to 1000 micgms per day.

D. Anti-cytokine receptor molecules.

It is well established that TNF receptor 1 and TNF receptor 2 molecules are shed by tumor cells, and that these molecules appear to inhibit immune mediated attack by the host on the tumor cells. The ultrapheresis is believed to remove the majority of these soluble receptors. Additional, and/or selective, removal of these soluble receptor/inhibitors to soluble tissue necrosis factor receptor-1 ("sTNFR-1"), soluble tissue necrosis factor receptor-2 ("sTNFR-2"), soluble interleukin-2 receptor ("sIL-2R"), soluble interleukin-1 receptor ("sIL-1R"), soluble interleukin-6 receptor ("sIL-6R"), or soluble interferon-gamma

receptor ("sIFN-gammaR") can be used to supplement or instead of the
ultrapheresis. The advantage of selective removal is that the same beneficial
effect is obtained in treatment of the disorder but the treatment is much less
expensive and safer since exogenous plasma or albumin does not have to be
administered to the patient when there is selective removal. These can be
removed by binding to the cytokine, an epitope thereof, or an antibody to the
receptor. These can be immobilized in the filter, in a column, or using other
standard techniques for binding reactions to remove proteins from the blood or
plasma of a patient. As used herein, antibody refers to antibody, or antibody
fragments (single chain, recombinant, or humanized), immunoreactive against
the receptor molecules. In the preferred embodiment, these antibodies are
immobilized on the ultrapheresis membrane filters, using standard antibody
coupling techniques. In the most preferred embodiment, the antibody is reactive
with the carboxy-terminus of the shed receptor molecules, thereby avoid
concerns with signal transduction by the receptor is still present on the cell
surface.

E. Chemotherapeutic Agents

Preferred chemotherapeutic agents are those which are synergistic with
TNF, for example, alkylating agents, doxyrubicin, carboplatinum, cisplatinum,
and tamoxifen. Tamoxifen plays a role not only in blocking of estrogen
receptors but also certain growth factor receptors such as epidermal derived
growth factor ("EDGF"), fibroblast derived growth factor ("FDGF"), tumor
derived growth factor ("TDGF"), TDGF- β and platelet derived growth factor
("PDGF") and therefore may be complementary to inflammation against cancers
provoked by ultrapheresis.

F. Radiation

Radiation therapy is destructive of normal tissue, causing tumors to die

partially by an inflammatory attack. Ultrapheresis allows the use of lower doses of radiation to kill residual tumor cells and spare normal tissue. In a preferred method, ultrapheresis is used as the initial therapy, followed by radiation at approximately one-half of the normal dosages. It is well established that TNF kills tumor cells by generating free oxygen radicals, hydroxyl radicals and halide ions, and that radiation therapy generates carbonium ions in tissue. Therefore the combination of the two is more effective in killing cancer cells than either alone.

III. Examples

Example 1: Treatment of A Patient with Metastatic Leiomyosarcoma with Ultrapheresis.

Mrs. J.K. is a 43 year old lady with metastatic leiomyosarcoma with six (6) lung metastases all of which developed within one month of surgery on both lungs to remove tumors. These tumors had also failed methotrexate, adriamycin, ifosfomide, and dactinomycin.

She received 24 ultrapheresis procedures with no side effects. One month later, CAT scan revealed only four (4) tumors and these were reduced in size by 50%.

Example 2: Treatment of Patients with Breast Cancer by Ultrapheresis and Thalidomide.

Mrs. J.R. is a 44 year old lady who had metastatic breast cancer that had failed radiation therapy and treatment with chemotherapeutic agents: cytoxan, adriamycin, 5-FU, taxol, cis-platin, navabine, tamoxifen and arimedes. Tumor at the time of ultrapheresis was documented in lungs, bone and skin of the entire left anterior and lateral chest.

She was treated with 15 ultrapheresis procedures over a three week period. She experienced marked inflammation in the tumors of his skin, increased pain from the tumors in her bones, and swelling of the tumors in her

lungs. She then received the drug thalidomide 200 mg at night. The redness and swelling in her skin improved within 2 days and her breathing returned to normal within one week. Two weeks after completing treatment, all tumor in her skin had resolved clinically, her bone pain resolved and the tumors in her lungs resolved on repeat CAT scan. One week later, she returned to work as a school counselor. She tested disease free two months after treatment and was being maintained on thalidomide at the same dose.

Example 3: Treatment of Patient with Metastatic Melanoma with Ultrapheresis and Thalidomide.

Mr. P.G. is a 54 year old engineer with metastatic melanoma with metastases to lung and to lymph nodes in the mediastinum.

He received 24 ultrapheresis procedures, resulting in a 25% reduction of tumors. He was subsequently treated with an additional 12 procedures, resulting in minor tumor reduction despite evidence of tumor inflammation. The tumors regrew within one month. He was again retreated with ultrapheresis, again resulting in inflammation and some minor regression, but was then treated with thalidomide at the time of tumor inflammation. Two months later, repeat CAT scan showed complete disappearance of tumors in the lung and mediastinum. He is being followed closely and shows no evidence of disease and has no medical complaints six months after completing treatment.

Example 4: Treatment of a Patient with Metastatic Adenocarcinoma with Ultrapheresis and Thalidomide.

Dr. R.S. is a 59 year old gentlemen with metastatic adenocarcinoma of the left upper lung with metastases to liver, brain and bones. His tumors had failed to respond to taxol, cis-platin and etoposide. His brain tumors had responded to radiation therapy.

He received 15 ultrapheresis procedures. Each procedure caused increased pain in tumors of his spine, pelvis, right hip and left shoulder. Follow

5

up scans after ultrapheresis treatment revealed resolution of tumors in pelvis, spine, hip, and ribs. There was a 50% reduction in the primary tumor in the lung and liver. Thalidomide was then started at 200 mg each night. One month later, the scans revealed further reduction in the tumors in lung and liver. The patient's pains have all been resolved and he is asymptomatic at this time.

Modifications and variations of the method and compositions described herein will be obvious to those skilled in the art. Such modifications and variations are intended to come within the scope of the appended claims.

I claim:

1. A method for inducing an immune response against transformed, infected or diseased tissue comprising
removing only components present in the blood having a molecular weight of 120,000 daltons or less, until the transformed, infected, or diseased tissue is reduced in amount.
2. The method of claim 1 wherein the tissue is a solid tumor.
3. The method of claim 1 wherein the components are removed from one blood volume.
4. The method of claim 1 wherein the components are removed in multiple treatments.
5. The method of claim 1 further comprising treating the tissue with an agent selected from the group consisting of anti-angiogenic compounds, procoagulant compounds, cytokines, chemotherapeutic agents, and radiation.
6. The method of claim 5 wherein the agent is a cytokine and the cytokine is selected from the group consisting of GM-CSF, erythropoietin, thrombopoietin, G-CSF, M-CSF and SCF.
7. The method of claim 1 further comprising selectively removing soluble cytokine receptor molecules.
8. The method of claim 7 wherein the soluble cytokine receptor molecules are selected from the group consisting of soluble tissue necrosis factor receptor-1 ("sTNFR-1"), soluble tissue necrosis factor receptor-2 ("sTNFR-2"), soluble interleukin-2 receptor ("sIL-2R"), soluble interleukin-1 receptor ("sIL-1R"), soluble interleukin-6 receptor ("sIL-6R"), and soluble interferon-gamma receptor ("sIFN-gammaR").
9. The method of claim 8 wherein the cytokine receptor molecules are removed by binding to the cytokine or to an antibody or antibody fragment immunoreactive with the cytokine receptor molecules.


10. The method of claim 9 wherein the cytokine or antibody or antibody fragments are immobilized in a filter or column through which the patient's blood or plasma is circulated prior to being returned to the patient.
11. The method of claim 1 further comprising vaccinating the patient with a vaccine against the transformed, infected or diseased tissue.
12. A system for inducing an immune response against transformed, infected or diseased tissue comprising
a device for removing only components present in the blood having a molecular weight of 120,000 daltons or less, having inlet and outlet means for connection to a pump and tubing to recirculate the blood of a patient through the device.
13. The system of claim 12 wherein the device is a capillary membrane filter with a pore size of between about 0.02 and 0.05 microns.
14. The system of claim 12 wherein the device is a parallel plate filter with a pore size of between about 0.04 and 0.08 microns.
15. The system of claim 12 wherein the device comprises filters with different pore sizes or geometries to provide for staggered removal of materials from the blood.
16. The system of claim 12 wherein the device is an absorbent column selectively removing specific cytokine or cellular inhibitors from the blood.
17. The system of claim 16 wherein the cytokine or cellular inhibitors are selected from the group consisting of soluble tissue necrosis factor receptor-1 ("sTNFR-1"), soluble tissue necrosis factor receptor-2 ("sTNFR-2"), soluble interleukin-2 receptor ("sIL-2R"), soluble interleukin-1 receptor ("sIL-1R"), soluble interleukin-6 receptor ("sIL-6R"), and soluble interferon-gamma receptor ("sIFN-gammaR").
18. The system of claim 17 comprising cytokines or antibody or antibody fragments immunoreactive with the cytokine receptor molecules.

19. The system of claim 18 wherein the cytokine or antibody or antibody fragments are immobilized in a filter or column through which the patient's blood or plasma is circulated prior to being returned to the patient.
20. The system of claim 12 wherein the blood is plasma.
21. The system of claim 12 wherein the system includes means for administering radiation to the tissue.
22. A kit for treatment of a patient to induce an immune response against transformed, infected or diseased tissue comprising:
 - a device for removing only components present in the blood having a molecular weight of 120,000 daltons or less and
 - an agent selected from the group consisting of anti-angiogenic compounds, procoagulant compounds, cytokines, chemotherapeutic agents, and radiation, in a dosage formulation for treatment of the patient.
23. The kit of claim 22 wherein the agent is an anti-angiogenic compound.
24. The kit of claim 22 wherein the agent is a procoagulant compound.
25. The kit of claim 22 wherein the agent is a cytokine.
26. The kit of claim 25 wherein the cytokine is selected from the group consisting of GM-CSF, erythropoietin, thrombopoietin, G-CSF, M-CSF and SCF.
27. The kit of claim 22 wherein the agent is a chemotherapeutic agent.
28. The kit of claim 27 wherein the agent is selected from the group consisting of alkylating agents, doxyrubicin, carboplatinum, cisplatinum, and taxol.
29. The kit of claim 22 further comprising anticoagulant to treat the device for removal of components from the blood prior to use.

METHOD AND COMPOSITIONS FOR TREATMENT OF CANCERS

Abstract

A method to treat cancer uses ultrapheresis, refined to remove compounds of less than 120,000 daltons molecular weight, followed by administration of replacement fluid, to stimulate the patient's immune system to attack solid tumors. In the preferred embodiment, the patient is ultrapheresed using a capillary tube ultrafilter having a pore size of 0.02 to 0.05 microns, with a molecular weight cutoff of 120,000 daltons, sufficient to filter one blood volume. The preferred replacement fluid is ultrapheresed normal plasma. The patient is preferably treated daily for three weeks, diagnostic tests conducted to verify that there has been shrinkage of the tumors, then the treatment regime is repeated. The treatment is preferably combined with an alternative therapy, for example, treatment with an anti-angiogenic compound, one or more cytokines such as TNF, gamma interferon, or IL-2, or a procoagulant compound. The treatment increases endogenous, local levels of cytokines, such as TNF. This provides a basis for an improved effect when combined with any treatment that enhances cytokine activity against the tumors, for example, treatments using alkylating agents, doxyrubicin, carboplatinum, cisplatinum, and taxol. Alternatively, the ultrapheresis treatment can be combined with local chemotherapy, systemic chemotherapy, and/or radiation.






FIG. 2

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**DECLARATION FOR UTILITY OR
DESIGN
PATENT APPLICATION
(37 CFR 1.63)**

☐ Declaration Submitted with Initial Filing OR ☒ Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

Attorney Docket Number	LEN 101 CIP
First Named Inventor	M. Rigdon Lentz
COMPLETE IF KNOWN	
Application Number	09 / 316,226
Filing Date	May 21, 1999
Group Art Unit	
Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD AND COMPOSITIONS FOR TREATMENT OF CANCERS

the specification of which (Title of the Invention)

☐ is attached hereto
OR

☒ was filed on (MM/DD/YYYY) May 21, 1999 as United States Application Number or PCT International

Application Number 09/316,226 and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

LEN 101 CIP
11653/7

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)

Approved for use through 9/30/00 OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
09/083,307	May 22, 1998	

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number

OR

☒ Registered practitioner(s) name/registration number listed below

Place Customer
Number Bar Code
Label here

Name	Registration Number	Name	Registration Number
Patrea L. Pabst	31,284		
Robert A. Hodges	41,074		
Kevin W. King	42,737		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto

Direct all correspondence to: ☐ Customer Number or Bar Code Label ☐ OR ☒ Correspondence address below

Name	Patrea L. Pabst				
Address	Arnall Golden & Gregory, LLP				
Address	2800 One Atlantic Center, 1201 West Peachtree Street				
City	Atlanta	State	GA	ZIP	30309-3450
Country	United States	Telephone	(404)873-8794	Fax	(404)873-8795

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])		Family Name or Surname	
M. Rigdon		Lentz	
Inventor's Signature	Date		6/10/97
Residence: City	Brentwood	State	TN
		Country	US
Post Office Address	6347 Shadow Ridge Court		
Post Office Address			
City	Brentwood	State	TN
		ZIP	37027
		Country	US

☐ Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto